













How do SMBHs grow in few x100's Myr?
What is the role of early black holes as seeds of galaxy formation.
What are the sources of reionization of the Universe?
How does HI evolve in the EoR?





























instituto de astrofísica e ciências do espaço



12 instituto de astrofísica e ciências do espaço

J. Afonso • Back at the Edge of the Universe • 2015 March 16

TN J0924-2201 @ z=5.2 (van Breugel+, 99)



S_{I.4GHz}=73 mJy



instituto de astrofísica e ciências do espaço

J. Afonso • Back at the Edge of the Universe • 2015 March 16

JI639I2.II + 405236.5 @ z=4.9 (Jarvis+, 09)



$S_{I.4GHz}=22 \text{ mJy}$





instituto de astrofísica e ciências do espaço



J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?



J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Observations of high-z AGN: - Highest z QSO from UKIDSS (z=7.09, Mortlock+, 11) - Few tens of QSOs known at 6<z<7 (Fan, 2012)



Do they even exist?

Observations of high-z AGN: - Highest z QSO from UKIDSS (z=7.09, Mortlock+, 11) - Few tens of QSOs known at 6<z<7 (Fan, 2012)



J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Observations of high-z AGN: - Highest z QSO from UKIDSS (z=7.09, Mortlock+, 11) - Few tens of QSOs known at 6<z<7 (Fan, 2012)

 $\Rightarrow 10^{8} - 10^{9} M_{\odot} SMBHs$



J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Observations of high-z AGN: - Highest z QSO from UKIDSS (z=7.09, Mortlock+, 11) - Few tens of QSOs known at 6<z<7 (Fan, 2012)

 $\Rightarrow 10^{8} - 10^{9} M_{\odot} SMBHs$

Powerful AGN do exist at z~7: OK





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK

Large pop of SMBHs at z~8 possible, depending on initial seeds (Haiman+, Volonteri+, Johnson+...): - massive pop III collapse - DCBH - runaway collapse in dense stellar clusters at z~10-20





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK

Large pop of SMBHs at z~8 possible, depending on initial seeds (Haiman+, Volonteri+, Johnson+...): - massive pop III collapse - DCBH - runaway collapse in dense stellar clusters at z~10-20

Theory: OK





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK Theory: OK





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK Theory: OK

Extrapolate from observations?





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK Theory: OK

Extrapolate from observations? **SKA Simulated Skies:** - 10 sq deg

 $-S_{1.4GHz} > 0 \mu y$





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK Theory: OK

Extrapolate from observations? **SKA Simulated Skies:** - 10 sq deg $-S_{1.4GHz} > 10 \mu y$





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Do they even exist?

Powerful AGN do exist at z~7: OK Theory: OK

Extrapolate from observations? **SKA Simulated Skies:** - 10 sq deg - $S_{I.4GHz} > 10 \mu y$

Radio population evolution: OK(?)





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Can they be observed?

Powerful AGN do exist at z~7: OK Theory: OK Radio population evolution: OK(?)





J. Afonso • Back at the Edge of the Universe • 2015 March 16

Can they be observed?

Powerful AGN do exist at z~7: OK Theory: OK Radio population evolution: OK(?)

The AGN process/physics at high-z?





I) Would-be synchrotron-emitting electrons scatter-off CMB photons at high-z (Ghisellini et al. 2014) in lobes/jets



I) Would-be synchrotron-emitting electrons scatter-off CMB photons at high-z (Ghisellini et al. 2014) in lobes/jets

Luminous extended emission is "muted" (>30:1 decrease)



I) Would-be synchrotron-emitting electrons scatter-off CMB photons at high-z (Ghisellini et al. 2014) in lobes/jets

Luminous extended emission is "muted" (>30:1 decrease)

2) Radio emission from compact sources is unaffected (Casanellas et al., in prep)



I) Would-be synchrotron-emitting electrons scatter-off CMB photons at high-z (Ghisellini et al. 2014) in lobes/jets

Luminous extended emission is "muted" (>30:1 decrease)

2) Radio emission from compact sources is unaffected (Casanellas et al., in prep)

Young/compact radio sources (GPS, CSS) unaffected (<4:1 decrease)

























They are out there:

They are out there:

J. Afonso • Back at the Edge of the Universe • 2015 March 16

Don't look for typical lobes - likely "CMB-muted"

They are out there:

Don't look for typical lobes - likely "CMB-muted" Think young/compact sources

They are out there:

Don't look for typical lobes - likely "CMB-muted" Think young/compact sources Need deep, multiband (incl. low radio freqs)

They are out there:

Don't look for typical lobes - likely "CMB-muted" Think young/compact sources Need deep, multiband (incl. low radio freqs) Identification based on radio frequencies alone?

They are out there:

Don't look for typical lobes - likely "CMB-muted" Think young/compact sources Need deep, multiband (incl. low radio freqs) Identification based on radio frequencies alone? Exciting times ahead think EMU, WODAN... no shortage of candidates

Tantalizing slide:

Tantalizing slide:

J. Afonso • Back at the Edge of the Universe • 2015 March 16

confirmation soon...?!

instituto de astrofísica e ciências do espaço